

Kasutatud kirjandus

1. Nelson HD, Selph S, Bougatsos C, Blazina I. Behavioral Interventions and Counseling to Prevent Child Abuse and Neglect: Systematic Review to Update the U.S. Preventive Services Task Force Recommendation [Internet]. Rockville (MD): Agency for Healthcare Research and Quality (US); 2013 [cited 2016 Oct 9]. (U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews). Available from: <http://www.ncbi.nlm.nih.gov/books/NBK117232/>
2. Yonemoto N, Dowswell T, Nagai S, Mori R. Schedules for home visits in the early postpartum period. Cochrane Database Syst Rev [Internet]. 2017 [cited 2019 Jan 27];(8). Available from: <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD009326.pub3/abstract>
3. Bilukha O, Hahn RA, Crosby A, Fullilove MT, Liberman A, Moscicki E, et al. The effectiveness of early childhood home visitation in preventing violence: A systematic review. Am J Prev Med. 2005 Feb;1;28(2):11–39.
4. Escobar GJ, Braveman PA, Ackerson L, Odouli R, Coleman-Phox K, Capra AM, et al. A randomized comparison of home visits and hospital-based group follow-up visits after early postpartum discharge. Pediatrics. 2001 Sep;108(3):719–27.
5. Paul IM, Phillips TA, Widome MD, Hollenbeak CS. Cost-effectiveness of postnatal home nursing visits for prevention of hospital care for jaundice and dehydration. Pediatrics. 2004 Oct;114(4):1015–22.
6. Hull P. Development of the Calgary Regional Home Visitation Collaborative Postpartum Screening Tool. :93.
7. CHFC 2015-16 Annual Report.pdf [Internet]. [cited 2019 May 19]. Available from: <https://bit.ly/2GQQ0Fu>
8. Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect - The Lancet [Internet]. [cited 2019 Jan 27]. Available from: [https://www.thelancet.com/pdfs/journals/lancet/PIIS0140-6736\(15\)01024-7.pdf](https://www.thelancet.com/pdfs/journals/lancet/PIIS0140-6736(15)01024-7.pdf)
9. Becker GE, Remmington T. Early additional food and fluids for healthy breastfed full-term infants. Cochrane Database Syst Rev. 2014 Nov 25;(11):CD006462.
10. Kramer MS, Kakuma R. Optimal duration of exclusive breastfeeding. Cochrane Database Syst Rev. 2012 Aug 15;(8):CD003517.
11. Organization WH. Report of the expert consultation of the optimal duration of exclusive breastfeeding, Geneva, Switzerland, 28-30 March 2001. 2001;
12. Fewtrell M, Bronsky J, Campony C, Domellöf M, Embleton N, Fidler Mis N; Hojsak I, Hulst J, Indrio F, Lapillonne A; Molgaard C. Complementary Feeding: A Position Paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) Committee on Nutrition. Journal of Pediatric Gastroenterology and Nutrition, 2017 (January); 64(1):116-132.

13. Section on Breastfeeding. Breastfeeding and the use of human milk. *Pediatrics*. 2012 Mar;129(3):e827-841.
 14. Nordic Council of Ministers NC of M. Nordic Nutrition Recommendations 2012. *Nord Nutr Recomm* 2012. 2008 Aug 14;5(11):1–3.
 15. EFSA Panel on Nutrition, Novel Foods and Food Allergens. 2019. Appropriate age range for introduction of complementary feeding into an infant's diet. *EFSA Journal* 2019;17(9):578.
 16. Amit M. Vegetarian diets in children and adolescents. *Paediatr Child Health*. 2010;15(5):303–8.
 17. Kirby M, Danner E. Nutritional deficiencies in children on restricted diets. *Pediatr Clin North Am*. 2009 Oct;56(5):1085–103.
 18. Craig WJ, Mangels AR, American Dietetic Association. Position of the American Dietetic Association: vegetarian diets. *J Am Diet Assoc*. 2009 Jul;109(7):1266–82.
 19. Heyman MB. Lactose Intolerance in Infants, Children, and Adolescents. *Pediatrics*. 2006 Sep 1;118(3):1279–86.
 20. McDonagh M, Blazina I, Dana T, Cantor A, Bougatsos C. Routine Iron Supplementation and Screening for Iron Deficiency Anemia in Children Ages 6 to 24 Months: A Systematic Review to Update the U.S. Preventive Services Task Force Recommendation [Internet]. Rockville (MD): Agency for Healthcare Research and Quality (US); 2015 [cited 2016 Jun 25]. (U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews). Available from: <http://www.ncbi.nlm.nih.gov/books/NBK285660/>
 21. Siu AL. Screening for Iron Deficiency Anemia in Young Children: USPSTF Recommendation Statement. *Pediatrics*. 2015 Oct 1;136(4):746–52.
 22. ISPAD Clinical Practice Consensus Guidelines 2014 Compendium: Type 2 diabetes in the child and adolescent. *Pediatr Diabetes*. 2015 Aug;16(5):392.
 23. Cheng AYY. Introduction. *Can J Diabetes*. 2013 Apr 1;37:S1–3.
 24. Wu E-L, Kazzi NG, Lee JM. Cost-effectiveness of screening strategies for identifying pediatric diabetes mellitus and dysglycemia. *JAMA Pediatr*. 2013 Jan;167(1):32–9.
 25. Lee JM, Eason A, Nelson C, Kazzi NG, Cowan AE, Tarini BA. Screening practices for identifying type 2 diabetes in adolescents. *J Adolesc Health Off Publ Soc Adolesc Med*. 2014 Feb;54(2):139–43.
 26. Shah S, Kublaoui BM, Oden JD, White PC. Screening for type 2 diabetes in obese youth. *Pediatrics*. 2009 Aug;124(2):573–9.
 27. Rodday AM, Triedman JK, Alexander ME, Cohen JT, Ip S, Newburger JW, et al. Electrocardiogram screening for disorders that cause sudden cardiac death in asymptomatic children: a meta-analysis. *Pediatrics*. 2012 Apr;129(4):e999-1010.
-

28. Harmon KG, Zigman M, Drezner JA. The effectiveness of screening history, physical exam, and ECG to detect potentially lethal cardiac disorders in athletes: a systematic review/meta-analysis. *J Electrocardiol.* 2015 Jun;48(3):329–38.
29. Chandra N, Bastiaenen R, Papadakis M, Panoulas VF, Ghani S, Duschl J, et al. Prevalence of electrocardiographic anomalies in young individuals: relevance to a nationwide cardiac screening program. *J Am Coll Cardiol.* 2014 May 20;63(19):2028–34.
30. Maron BJ, Friedman RA, Kligfield P, Levine BD, Viskin S, Chaitman BR, et al. Assessment of the 12-lead electrocardiogram as a screening test for detection of cardiovascular disease in healthy general populations of young people (12–25 years of age): a scientific statement from the American Heart Association and the American College of Cardiology. *J Am Coll Cardiol.* 2014 Oct 7;64(14):1479–514.
31. Shorter D, Hong T, Osborn DA. Screening programmes for developmental dysplasia of the hip in newborn infants. *Cochrane Database Syst Rev.* 2011 Sep 7;(9):CD004595.
32. Laborie LB, Engesæter IØ, Lehmann TG, Eastwood DM, Engesæter LB, Rosendahl K. Screening strategies for hip dysplasia: long-term outcome of a randomized controlled trial. *Pediatrics.* 2013 Sep;132(3):492–501.
33. Mulpuri K, Song KM, Goldberg MJ, Sevarino K. Detection and Nonoperative Management of Pediatric Developmental Dysplasia of the Hip in Infants up to Six Months of Age. *J Am Acad Orthop Surg.* 2015 Mar;23(3):202–5.
34. Clinical practice guideline: early detection of developmental dysplasia of the hip. Committee on Quality Improvement, Subcommittee on Developmental Dysplasia of the Hip. American Academy of Pediatrics. *Pediatrics.* 2000 Apr;105(4 Pt 1):896–905.
35. Wallace DK, Repka MX, Lee KA, Melia M, Christiansen SP, Morse CL, et al. Amblyopia Preferred Practice Pattern®. *Ophthalmology.* 2018 Jan;125(1):P105–42.
36. Vision Testing and Screening in Young Children [Internet]. [cited 2019 May 19]. Available from: <https://patient.info/doctor/vision-testing-and-screening-in-young-children>
37. de Koning HJ, Groenewoud JH, Lantau VK, Tjiam AM, Hoogeveen WC, de Faber JTHN, et al. Effectiveness of screening for amblyopia and other eye disorders in a prospective birth cohort study. *J Med Screen.* 2013 Jun;20(2):66–72.
38. American Academy of Ophthalmology Pediatric Ophthalmology/Strabismus Panel. Preferred Practice Pattern® Guidelines. Amblyopia. San Francisco, CA: American Academy of Ophthalmology; 2012. Available at: www.aao.org/ppp.

39. Vision screening in infants, children and youth. *Paediatr Child Health*. 2009 Apr;14(4):246–8.
40. American Academy of Pediatrics, Section on Ophthalmology, American Association for Pediatric Ophthalmology and Strabismus, American Academy Of Ophthalmology, American Association of Certified Orthoptists. Red Reflex Examination in Neonates, Infants, and Children. *Pediatrics*. 2008 Dec 1;122(6):1401–4.
41. Hartmann EE, Lynn MJ, Lambert SR, Infant Aphakia Treatment Study Group. Baseline characteristics of the infant aphakia treatment study population: predicting recognition acuity at 4.5 years of age. *Invest Ophthalmol Vis Sci*. 2015 Jan;56(1):388–95.
42. Riigikontrolli audit: Riigi tegevus laste tervise hoidmisel ja ravimisel, 2016.
43. Fortnum H, Ukoumunne OC, Hyde C, Taylor RS, Ozolins M, Errington S, et al. A programme of studies including assessment of diagnostic accuracy of school hearing screening tests and a cost-effectiveness model of school entry hearing screening programmes. *Health Technol Assess*. 2016 May;20(36):1–178.
44. Skarżyński H, Piotrowska A. Screening for pre-school and school-age hearing problems: European Consensus Statement. *Int J Pediatr Otorhinolaryngol*. 2012 Jan 1;76(1):120–1.
45. Holzinger D, Weishaupt A, Fellinger P, Beitel C, Fellinger J. Prevalence of 2.2 per mille of significant hearing loss at school age suggests rescreening after NHS. *Int J Pediatr Otorhinolaryngol*. 2016 Aug;87:121–5.
46. Bright K, Eichwald J, Tanner G. American Academy of Audiology Childhood Hearing Screening Guidelines [Internet]. 2011 [cited 2016 Oct 17]. Available from: http://www.danielmantilla.com/orl-basada-en-evidencias/primicias-en-orl-oidos/2011childhoodhearingscreeningguidelinesguidelineaaa/2011_Childhood%20Hearing%20Screening%20Guidelines_GUIDELINE_AAA.pdf
47. Brooke HL, Corder K, Atkin AJ, van Sluijs EMF. A systematic literature review with meta-analyses of within- and between-day differences in objectively measured physical activity in school-aged children. *Sports Med Auckl NZ*. 2014 Oct;44(10):1427–38.
48. Chaput J-P, Gray CE, Poitras VJ, Carson V, Gruber R, Olds T, et al. Systematic review of the relationships between sleep duration and health indicators in school-aged children and youth. *Appl Physiol Nutr Metab*. 2016 Jun 1;41(6 (Suppl. 3)):S266–82.
49. Carson V, Hunter S, Kuzik N, Gray CE, Poitras VJ, Chaput J-P, et al. Systematic review of sedentary behaviour and health indicators in school-aged children and youth: an update. *Appl Physiol Nutr Metab Appl Nutr Metab*. 2016 Jun;41(6 Suppl 3):S240–265.

50. Nelson HD. Screening for Speech and Language Delay in Preschool Children: Systematic Evidence Review for the US Preventive Services Task Force. *PEDIATRICS*. 2006 Feb 1;117(2):e298–319.
51. Berkman ND, Wallace I, Watson L, Coyne-Beasley T, Cullen K, Wood C, et al. Screening for Speech and Language Delays and Disorders in Children Age 5 Years or Younger: A Systematic Review for the U.S. Preventive Services Task Force [Internet]. Rockville (MD): Agency for Healthcare Research and Quality (US); 2015. (U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews). Available from: <http://www.ncbi.nlm.nih.gov/books/NBK305674/>
52. Engle PL, Fernald LCH, Alderman H, Behrman J, O’Gara C, Yousafzai A, et al. Strategies for reducing inequalities and improving developmental outcomes for young children in low-income and middle-income countries. *Lancet Lond Engl*. 2011 Oct 8;378(9799):1339–53.
53. McPheeeters ML, Weitlauf A, Vehorn A, Taylor C, Sathe NA, Krishnaswami S, et al. Screening for Autism Spectrum Disorder in Young Children: A Systematic Evidence Review for the U.S. Preventive Services Task Force [Internet]. Rockville (MD): Agency for Healthcare Research and Quality (US); 2016. (U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews). Available from: <http://www.ncbi.nlm.nih.gov/books/NBK349703/>
54. Siu AL, Bibbins-Domingo K, Grossman DC, Baumann LC, Davidson KW, Ebell M, et al. Screening for Autism Spectrum Disorder in Young Children: US Preventive Services Task Force Recommendation Statement. *JAMA*. 2016 Feb 16;315(7):691–6.
55. Autism spectrum disorder in under 19s: recognition, referral and diagnosis | Guidance and guidelines | NICE [Internet]. [cited 2017 Nov 13]. Available from: <https://www.nice.org.uk/guidance/cg128>
56. Attention deficit hyperactivity disorder: diagnosis and management | Guidance and guidelines | NICE [Internet]. [cited 2019 Feb 3]. Available from: <https://www.nice.org.uk/guidance/cg72>
57. Kieling RR, Kieling C, Aguiar AP, Costa AC, Dorneles BV, Rohde LA. Searching for the best approach to assess teachers’ perception of inattention and hyperactivity problems at school. *Eur Child Adolesc Psychiatry*. 2014 Jun;23(6):451–9.
58. Arnold LE, Hodgkins P, Caci H, Kahle J, Young S. Effect of Treatment Modality on Long-Term Outcomes in Attention-Deficit/Hyperactivity Disorder: A Systematic Review. *PLoS ONE* [Internet]. 2015 Feb 25;10(2). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4340791/>

59. Interventions for Preschool Children at High Risk for ADHD: A Comparative Effectiveness Review | Review Articles | Pediatrics [Internet]. [cited 2017 Nov 16]. Available from: <http://pediatrics.aappublications.org/content/131/5/e1584.long>
60. Karu M. Karu, Marre; Turk, Pirjo; Suvi, Hella; Biin, Helen (2012). Lapse õiguste ja vanemluse monitooring. Laste ja täiskasvanute küsitluse kokkuvõte. Tallinn: Poliitikauuringute Keskus Praxis. 2012;53.
61. Linno M, Soo K, Strömpl J. Perevägivalla levikut soodustavad riskid ja perevägivalla ulatus praktikute hinnangutes. Uurimisaruanne. 2011. [Internet]. Koninklijke Brill NV; [cited 2019 Feb 3]. Available from: <https://primarysources.brillonline.com/browse/human-rights-documents-online/council-of-europe-convention-on-preventing-and-combating-violence-against-women-and-domestic-violence;hrdhrd99532014005>
62. Kommusaar J. 2017. Lapsevanemate tajutud vanemlik kompetentsus kaheaastase lapse heaolu tagamisel – PSOC hindamisvahendi alusel Tartu Ülikool Meditsiiniteaduste valdkond Peremeditsiini ja rahvatervishoiu instituut Œendusteaduse õppetool. :61.
63. Jones TL, Prinz RJ. Potential roles of parental self-efficacy in parent and child adjustment: a review. Clin Psychol Rev. 2005 May;25(3):341–63.
64. Kirsti Akkermann, Krista Peet, Iiris Velling. Hindamisvahendite kohandamine laste vaimse tervise probleemide varajaseks märkamiseks. Uuringu lõppraport. Tartu, 2016. [Internet]. [cited 2019 Feb 3]. Available from: https://www.sm.ee/sites/default/files/content-editors/Lapsed_ja_pered/Lapse_õigused_ja_heaolu/kktk_loppraport_30_03_2016_pdf.pdf
65. Lindsay G, Strand S, Davis H. A comparison of the effectiveness of three parenting programmes in improving parenting skills, parent mental-well being and children's behaviour when implemented on a large scale in community settings in 18 English local authorities: the parenting early intervention pathfinder (PEIP). BMC Public Health. 2011 Dec 30;11:962.
66. Antenatal and Postnatal Mental Health. The NICE Guideline on Clinical Management and Service Guidance. Updated edition. National Collaborating Centre for Mental Health; 2014.
67. Hewitt C, Gilbody S, Brealey S, Paulden M, Palmer S, Mann R, et al. Methods to identify postnatal depression in primary care: an integrated evidence synthesis and value of information analysis. Health Technol Assess Winch Engl. 2009 Jul;13(36):1–145, 147–230.
68. Gibson J, McKenzie-McHarg K, Shakespeare J, Price J, Gray R. A systematic review of studies validating the Edinburgh Postnatal Depression Scale in antepartum and postpartum women. Acta Psychiatr Scand. 2009 May;119(5):350–64.